NEUROPEPTIDES

Neuropeptides (1992) **22**, 241–244
© Longman Group UK Ltd 1992

Subject Index to Volume 22

Note: the abstracts contained in Volume 22 Number 1 have not been included in the index.

A

Adenylate cyclase: peptidergic modulation of G-protein-coupled cyclic AMP accumulation in the rat caudate nucleus, 143
Adrenocorticotropin, effects of intravenous administration of tumour necrosis factor-α on plasma levels of, 81
Alcoholic men, impaired prolactin response to hyperthermia in, 205
Alzheimer's disease and senile dementia of Alzheimer type, cerebrospinal fluid endothelin-1 in, 85
Amyloid β protein (25–35), interaction with tachykinin receptors of, 99
Anaesthetic stress, prolactin response in female rats treated neonatally with monosodium glutamate to, 129
Angiotensin II, mobilization of calcium from intracellular store as a possible mechanism underlying the anti-opioid effect of, 219
Antinociception
  mobilization of calcium from intracellular store as a possible mechanism underlying the anti-opioid effect of angiotensin II, 219
  supraspinal, produced by [D-Met^2]-FMRFamide in mice, 195
Atriopeptins (atrial natriuretic factors), behavioural effects in rats of, 149

B

Behaviour
  effects of atriopeptin in rats on, 149
  effects of receptor blockers on brain natriuretic peptide-32-induced action on passive avoidance learning in rats, 107
Beta-endorphin
  prolactin response in female rats treated neonatally with monosodium glutamate to, 129
  suboccipital cerebrospinal fluid and plasma concentrations of, in patients with common migraine, 111
Blood-brain barrier permeability to [^{3}H]leucine at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117
Brain natriuretic peptide-32-induced action on passive avoidance behaviour in rats, effects of various receptor blockers on, 107

C

Calcitonin gene-related peptide (CGRP)
  spinal and intestinal levels of, following perendoscopic injection of formalin in rat colonic wall, 73
  substance P augments the rate of vasodilation induced by CGRP in porcine ophthalmic artery in vitro, 137
Calcium
  and effect of intraventricular endothelin-1 on blood flow-metabolism relationship in periventricular structures of the rat brain, 155
  mobilization from intracellular store as a possible mechanism underlying the anti-opioid effect of angiotensin II, 219
  neurosecretory granule Lys-Arg Ca^{2+}-dependent endopeptidase putatively involved in prooxytocin and provasopressin processing, 223
Caudate nucleus in the rat, peptidergic modulation of G-protein-coupled cyclic AMP accumulation in, 143
Cerebellum: differential modulation of Purkinje cell activity by enkephalin and corticotropin releasing factor, 167
Cerebral cortex
  decreased numbers of cholecystokinin-immunoreactive nerve cells in LEC rats with a hereditary hepatitis, 229
  effect of noradrenergic denervation by neonatal DSP-4 on peptide neurotransmitter systems in the rat, 103
  transfer of [^{3}H]leucine across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117
Cerebrospinal fluid levels
  of endothelin-1 in Alzheimer's disease and senile dementia of Alzheimer type, 85
  of enkephalins in diabetic neuropathy, 125
  of somatostatin neuropeptide Y and beta-endorphin in patients with common migraine, 111
Cholecystokinin (CCK)
  CCK mRNA expression pro-CCK processing and regulated secretion of immunoreactive CCK peptides by rat insulinoma and mouse pituitary tumour cells in culture, 213
  decreased numbers of CCK-immunoreactive nerve cells in the cerebral cortex of LEC rats with a hereditary hepatitis, 229
Chromogranin A: rapid high-yield isolation from chromaffin granules of phaeochromocytomas, 235
Corticotropin releasing hormone
  differential modulation of Purkinje cell activity by enkephalin and, 167
  secretion in the push-pull cannulated median eminence of freely moving rats is stimulated by intravenous administration of tumour necrosis factor-α, 81
Cyclic AMP: peptidergic modulation of G-protein-coupled cAMP accumulation in the rat caudate nucleus, 143

D

Dementia: cerebrospinal fluid endothelin-1 in Alzheimer's disease and senile dementia of Alzheimer type, 85

Diabetic neuropathy, cerebrospinal fluid enkephalins in, 125
Dopamine
  effect of neurotensin on extracellular striatal levels of, 175
  effect of noradrenergic denervation by neonatal DSP-4 treatment on rat brain levels of, 103
DSP-4, effect on peptide neurotransmitter systems in rat brain of noradrenergic denervation by neonatal treatment with, 103

E

Endopeptidase: a neurosecretory granule Lys-Arg Ca^{2+}-dependent enzyme putatively involved in prooxytocin and provasopressin processing, 223
β-Endorphin *see* Beta-endorphin
Endothelin-1
  cerebrospinal fluid levels in Alzheimer's disease and senile dementia of Alzheimer type, 85
  uncouples the blood flow-metabolism relationship in periventricular structures of the rat brain: involvement of L-type calcium channels, 155
Enkephalin(s)
  in cerebrospinal fluid of patients with diabetic neuropathy, 125
  differential modulation of Purkinje cell activity by corticotropin releasing factor and, 167
Eye: substance P augments the rate of vasodilation induced by calcitonin gene-related peptide in porcine ophthalmic artery in vitro, 137

F

[D-Met²]-FMRFamide, supraspinal antinociception in mice produced by, 195
Formalin, spinal and intestinal levels of substance P calcitonin gene-related peptide and vasoactive intestinal polypeptide following perendoscopic injection in rat colonic wall of, 73

G

Gastrointestinal tract: spinal and intestinal levels of substance P calcitonin gene-related peptide and vasoactive intestinal polypeptide following perendoscopic injection of formalin in rat colonic wall, 73
Glucose metabolism-blood flow relationship in periventricular structures of the rat brain, effect of intraventricular endothelin-1 on, 155
G-protein-coupled cyclic AMP accumulation in the rat caudate nucleus, peptidergic modulation of, 143

H

Heart, rat, presence of preprothyrotropin-releasing hormone mRNA and thyrotropin-releasing hormone in, 209
Hepatitis, decreased numbers of cholecystokinin-immunoreactive nerve cells in the cerebral cortex of LEC rats with, 229
Hippocampus
  effect of noradrenergic denervation by neonatal DSP-4 on peptide neurotransmitter systems in the rat, 103
  neuropeptide Y-containing interneurons receive synaptic input from median raphe and GABAergic septal afferents, 185
  transfer of [³H]leucine across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117
Hyperthermia: impaired prolactin response in alcoholic men, 205

I

Inflammation: spinal and intestinal levels of substance P calcitonin gene-related peptide and vasoactive intestinal polypeptide following perendoscopic injection of formalin in rat colonic wall, 73
Insulinoma (RIN 5F) cells in culture, cholecystokinin mRNA expression pro-CCK processing and regulated secretion of immunoreactive CCK peptides by, 213
Interleukin-1 (IL-1): intravenously injected tumour necrosis factor-α and IL-1 may share a common site of action in the brain to stimulate corticotropin releasing hormone secretion, 81

L

[³H]Leucine: transfer across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117
Leucine enkephalin: in cerebrospinal fluid of patients with diabetic neuropathy, 125

M

Median eminence of freely moving rats, intravenous administration of tumour necrosis factor-α stimulates corticotropin releasing hormone secretion in, 81
Methionine enkephalin: in cerebrospinal fluid of patients with diabetic neuropathy, 125
Migraine, common, suboccipital cerebrospinal fluid and plasma concentrations of somatostatin neuropeptide Y and beta-endorphin in patients with, 111
Monosodium glutamate, prolactin response to anaesthetic stress and beta-endorphin is altered in female rats treated neonatally with, 129
Morphine
  effect of [D-Met²]-FMRFamide on antinociception induced by, 195
  transfer of [³H]leucine across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117

N

Neonatal treatment
  with DSP-4, effect on peptide neurotransmitter system in the rat brain of, 103
  with monosodium glutamate, effect on prolactin response to anaesthetic stress and beta-endorphin in female rats of, 129
Neurokinin (NK) receptors
  affinity of R 396 (NK-2 tachykinin receptor antagonist) for NK-2 receptors in preparations from different species, 93
  interaction of amyloid β protein (25–35) with, 99
Neuropeptide Y (NPY)
  NPY-containing interneurons in the hippocampus receive

synaptic input from median raphe and GABAergic septal afferents, 185
suboccipital cerebrospinal fluid and plasma concentrations of, in patients with common migraine, 111
Neuropeptides in normal and pathological function: second meeting of the European Neuropeptide Club (Pisa, Italy, 14–16 May 1992), 1
Neurosecretory granule Lys-Arg Ca^{2+}-dependent endopeptidase putatively involved in prooxytocin and provasopressin processing, 223
Neurotensin increases extracellular striatal dopamine levels in vivo, 175
Nociception
cerebrospinal fluid enkephalins in diabetic neuropathy,125
mobilization of calcium from intracellular store as a possible mechanism underlying the anti-opioid effect of angiotensin II, 219
spinal and intestinal levels of substance P calcitonin gene-related peptide and vasoactive intestinal polypeptide following perendoscopic injection of formalin in rat colonic wall, 73
suboccipital cerebrospinal fluid and plasma concentrations of somatostatin neuropeptide Y and beta-endorphin in patients with common migraine, 111
supraspinal antinociception produced by [D-Met^2]-FMRFamide in mice, 195
Noradrenaline: effect of noradrenergic denervation by neonatal DSP-4 on peptide neurotransmitter systems in the rat brain, 103
Nucleus accumbens, effects of neurotensin on extracellular dopamine levels in, 175

O

Opioids
mobilization of calcium from intracellular store as a possible mechanism underlying the anti-opioid effect of angiotensin II, 219
supraspinal antinociception produced by [D-Met^2]-FMRFamide in mice, 195
transfer of [^{3}H]leucine across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117
Oxytocin
neurosecretory granule Lys-Arg Ca^{2+}-dependent endopeptidase putatively involved in prooxytocin and provasopressin processing, 223
transfer of [^{3}H]leucine across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117

P

Passive learning in rats, effects of receptor blockers on brain natriuretic peptide-32-induced action on, 107
Phaeochromocytomas, rapid high-yield isolation of human chromogranin A from chromaffin granules of, 235
Pituitary tumour (AtT-20) cells in culture, cholecystokinin mRNA expression pro-CCK processing and regulated secretion of immunoreactive CCK peptides by, 213
Prolactin
response to anaesthetic stress and beta-endorphin is altered in female rats treated neonatally with monosodium glutamate, 129
response to hyperthermia in alcoholic men, 205
Purkinje cell activity, differential modulation by enkephalin and corticotropin releasing factor of, 167

R

R 396 (NK-2 tachykinin receptor antagonist) affinity for neurokinin-2 receptors in preparations from different species, 93

S

Salivary glands, human, localization of vasoactive intestinal polypeptide-receptor-immunoreactivity in, 89
Somatostatin
modulation of G-protein-coupled cyclic AMP accumulation in the rat caudate nucleus by, 143
suboccipital cerebrospinal fluid and plasma concentrations of, in patients with common migraine, 111
Spinal and intestinal levels of substance P calcitonin gene-related peptide and vasoactive intestinal polypeptide following perendoscopic injection of formalin in rat colonic wall, 73
Striatum
effects of neurotensin on extracellular dopamine levels in, 175
transfer of [^{3}H]leucine across the blood-brain barrier at high blood-side oxytocin concentrations in normal and morphine-dependent rats, 117
Substance P
augments the rate of vasodilation induced by calcitonin gene-related peptide in porcine ophthalmic artery in vitro, 137
modulation of G-protein-coupled cyclic AMP accumulation in the rat caudate nucleus, 143
spinal and intestinal levels following perendoscopic injection of formalin in rat colonic wall, 73

T

Tachykinin receptors *see* Neurokinin receptors
Thyrotropin-releasing hormone and preproTRH mRNA are present in the rat heart, 209
Tumour(s)
cholecystokinin mRNA expression pro-CCK processing and regulated secretion of immunoreactive CCK peptides by rat insulinoma and mouse pituitary tumour cells in culture, 213
rapid high-yield isolation of human chromogranin A from chromaffin granules of phaeochromocytomas, 235
Tumour necrosis factor-α administered intravenously stimulates corticotropin releasing hormone secretion in the push-pull cannulated median eminence of freely moving rats, 81

V

Vascular system
intraventricular endothelin-1 uncouples the blood flow-metabolism relationship in periventricular structures of the rat brain: involvement of L-type calcium channels, 155

substance P augments the rate of vasodilation induced by calcitonin gene-related peptide in porcine ophthalmic artery in vitro, 137
Vasoactive intestinal polypeptide (VIP)
effect of noradrenergic denervation by neonatal DSP-4 treatment on rat brain levels of, 103
localization of VIP-receptor-immunoreactivity in human salivary glands, 89
modulation of G-protein-coupled cyclic AMP accumulation in the rat caudate nucleus by, 143
spinal and intestinal levels of VIP following perendoscopic injection of formalin in rat colonic wall, 73
Vasopressin: a neurosecretory granule Lys-Arg Ca^{2+}-dependent endopeptidase putatively involved in prooxytocin and provasopressin processing, 223

NEUROPEPTIDES

Neuropeptides (1992) **22**, 245–246
© Longman Group UK Ltd 1992

Author Index to Volume 22

A

ACHER, R., 223
ARAVICH, P. F., 129
ASTOLFI, M., 93

B

BEINFELD, M. C., 213
BERTOLINI, A., 149
BIDZSERANOVA, A., 107
BISHOP, G. A., 167
BISSETTE, G., 175
BOWSHER, D., 125
BOZSIK, Gy., 111
BROWN, M., 99

C

CARNELL, N. E., 209
CHAN, A. W., 125
CHAPMAN, M. A., 175
CHAUVET, J., 223
CHAYVIALLE, J. A., 73
CHÉRY-CROZE, S., 73
CLOUGH, R. W., 129
CONNELLY, C. D., 195
CRAMER, H., 143

D

DONNERER, J., 103

E

EKMAN, R., 111
ELSÅS, T., 137
ERMISCH, A., 117
ESPINOSA, F. J., 155

F

FENG, P., 209
FREUND, T. F., 185

G

GIACHETTI, A., 93, 99
GROSS, P. M., 155

H

HAMAOKA, T., 229
HAN, J. S., 219
HERBST, W. M., 89
HEYM, Ch., 89
HO, L. T., 155
HUMPEL, C., 103

I

IWAMOTO, H., 85

J

JELENCSIK, I., 111

K

KANAZAWA, I., 85
KAPÓCS, G., 111
KIM, U. J., 209
KING, J. S., 167
KOBAYASHI, H., 229
KOVÁCS, K., 111
KUMMER, W., 89

L

LANDGRAF, R., 117

M

MACFARLANE, I. A., 125
MADARAME, T., 229
MAGGI, C. A., 93, 99
MANINETTI, L., 205
MARRAMA, D., 149
MASSON, E. A., 125
MASUDA, T., 229
MATSUMOTO, H., 85
MIAMPAMBA, M., 73
MICHELINI, M., 205
MIETTINEN, R., 185
MIKAWA, S., 229
MIURA, Y., 229
MIZRAHI, J., 99
MIZUSAWA, H., 85
MORLEY, J. S., 125
MOSER, A., 143

O

O'CONNOR, D. T., 235

P

PASSERI, M., 205
PATACCHINI, R., 93, 99
PEDRAZZONI, M., 205
PHELPS, C. J., 129
POGGIOLI, R., 149

Q

QVIGSTAD, G., 137

R

RAFFA, R. B., 195
RASORI, E., 149
REN, M. F., 219
RENZETTI, A. R., 99
ROUILLÉ, Y., 223
ROVERO, P., 93, 99
RÜHLE, H.-J., 117
RUSSELL, J. A., 117

S

SARIA, A., 103
SATO, S., 229
SEE, R. E., 175
SJAASTAD, O., 137
SPANG, A., 223
SUN, X. J., 219
SUZUKI, K., 229
SUZUKI, N., 85
SYVERSEN, U., 235

T

TAKEBE, K., 81

TAKEICHI, N., 229
TATEISHI, K., 229
TELEGDY, G., 107

V

VAN GIERSBERGEN, P. L. M., 93
VÁRGA, J., 107
VÉCSEI, L., 111
VENN, R. F., 125
VERGONI, A. V., 149
VESCOVI, P. P., 205
VINCENT, M. B., 137

W

WAINMAN, D. S., 155
WALDUM, H. L., 235
WANG, J. F., 219
WATANOBE, H., 81
WEAVER, D. F., 155
WHITE, L. R., 137
WIDERLÖVE, E., 111
WILBER, J. F., 209

Y

YANG, H. F., 219
YOSHIDA, T., 229
YOSHIZAWA, T., 85

Z

ZOCHODNE, D. W., 155